



## A Menace Reconsidered, Part 5: Reviewing Cover Crops

Shae Ruppert, Jonathan Coppess, and Marin Skidmore

Department of Agricultural and Consumer Economics  
University of Illinois

May 2, 2024

*farmdoc daily* (14): 84

Gardner Policy Series

---

Recommended citation format: Ruppert, S., J. Coppess, and M. Skidmore. "A National Menace Reconsidered, Part 5: Reviewing Cover Crops." *farmdoc daily* (14): 84, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, May 2, 2024.

Permalink: <https://farmdocdaily.illinois.edu/2024/5/a-menace-reconsidered-part-5-reviewing-cover-crops.html>

---

An often used (and possibly overused) metaphor is that of the Swiss army knife, which was developed in the 1880s and 1890s and generally credited to the Swiss inventor, Karl Elsener (see e.g., Guttman, [October 5, 2022](#); Smith, [October 5, 2015](#); Bretz et al., [2017](#); Justus, [2004](#)). The multiple uses of the metaphor even includes the Farm Bill: President Barack Obama referred to the farm bill as a Swiss army knife when he signed the 2014 version into law (The White House, [February 7, 2014](#); NBC News, [February 7, 2014](#); Cain, [February 9, 2014](#)). Notably, the first sprouts of a possible 2024 Farm Bill reauthorization effort appeared on May 1, 2024 (*House Agriculture Committee*, [May 1, 2024](#) and [Summary](#); *Senate Committee on Agriculture, Nutrition, and Forestry*, [May 1, 2024](#) and [Section-by-Section](#)). These opening moves on the Farm Bill are being analyzed and will be reviewed in a future article. In the meantime, this article continues the series on soil erosion issues with a review of cover crops—the Swiss army knife of conservation practices (*farmdoc daily*, [April 18, 2024](#); [March 28, 2024](#); [March 21, 2024](#); [March 14, 2024](#)).

### Background

Any time spent digging into the deep, rich history of soil erosion and conservation consistently turns over a very familiar pattern (all puns intended). From the ancients forward, the production of food to support developing human societies carried consequences for the natural resources necessary for its production. Breaking open the ground—the trees, plants, and the sod—unlocked a wealth of nutrients from centuries of native vegetation. Time and again, the natural nutrient stores were quickly consumed by plants or eroded from bare fields. For much of that history, options were limited. Farmers could move and break new ground or adopt practices that helped restore nutrients and protect the soil. Among the latter were cropping rotations with fallow periods, and the use of cover crops or green manure. These practices, in other words, have deep roots in agricultural history, from the Greeks and Romans to George Washington (see e.g., Groff, [2015](#); McNeill and Winiwarter, [2004](#); see also, Kell, [1936](#); Odland and Knoblauch, [1938](#)). Writing for USDA's *Soils & Men: Yearbook of Agriculture 1938*, two agronomists explained the practices: Both involved growing plants between commercial cropping seasons or rotations; green manure crops were turned into the soil; a cover crop was "used to cover the soil surface without reference to

---

We request all readers, electronic media and others follow our citation guidelines when re-posting articles from *farmdoc daily*. Guidelines are available [here](#). The *farmdoc daily* website falls under University of Illinois copyright and intellectual property rights. For a detailed statement, please see the University of Illinois Copyright Information and Policies [here](#).

incorporation with it” and functioned to “prevent erosion and leaching” (Pieters and McKee, 1938, at 431). The practice of green manure, they added, was ancient but cover cropping was a more recent adaptation.

A “fundamental paradigm shift” in farming has taken place in the last 100 years, trading efforts at building reservoirs of nutrients over longer time horizons for short-term or quick return systems that relied on temporary stores or surpluses of synthetic nutrients applied to the fields that could boost crop yields (Drinkwater and Snapp, 2007). It began with the discovery and commercialization of the Haber-Bosch process for producing synthetic nitrogen (1913) and the outbreak of World War I (1914-1918). The Dust Bowl catastrophe during the Great Depression sprouted interest in soil conservation practices but much was set aside for World War II and then left behind by the rapid technological revolution in agriculture in the post-war years. Farmers in America and elsewhere rapidly deployed synthetic fertilizers and pesticides, as well as mechanized equipment, while consuming ever-increasing volumes of fossil fuels. Fields are leaky systems, however, and researchers began reporting on the consequences in the 1970s, including the degradation of public waters. These problems were compounded by the economic crisis of the 1980s but also helped drive a renewed interest in conservation practices and sustainable farming. Work on cover crops increased in the 1990s and into the new millennium, where it has been accelerated by concerns over hypoxic or dead zones and other water quality problems resulting from farm field nutrient losses (Guldner, Larsen, and Cunfer, 2021; Creze and Horwath, 2021; Kladivko, 2020; Bailey et al., 2020; Bergtold et al., 2017; Hamilton et al., 2017; Scholberg et al., 2010; Diaz and Rosenberg, 2008; Tonitto, David, and Drinkwater, 2006; Cherr, Scholberg, and McSorley, 2006; Mays, Sistani, and Malik, 2003; Rabalais, Turner, and Wiseman, 2002; Carpenter et al., 1998; Odell et al., 1984; Auclair, 1976; Gakstatter, Bartsch, and Callahan, 1978).

In general, cover crops help reduce soil erosion; they reduce nutrient losses by scavenging excess nitrate and preventing it from being leached; they can improve soil organic matter, soil carbon, as well as soil fertility. Cover crops can also improve soil-water dynamics, help with weed suppression, and provide forage for livestock. The practice helps the farmer (e.g., protect soils) and society (e.g., reduce nutrient losses to public waters). The research on cover crops is voluminous and almost universally positive about the practice’s benefits for natural resources and the environment (see e.g., Plumhoff et al., 2022; Preza-Fontes et al., 2022; Qin et al., 2021; Li et al., 2020; Nevins, Lacey, and Armstrong, 2020; Rusch et al., 2020; Thompson et al., 2020; Weyers et al., 2020; Blanco-Canqui, 2018; Daryanto et al., 2018; Roth et al., 2018; Williams et al., 2018; Snapp and Surapur, 2018; Sievers and Cook, 2018; Pantoja et al., 2016; Pantoja et al., 2015; Kladivko et al., 2014; Sawyer, 2007; Tonitto, David, and Drinkwater, 2006; Miguez and Bollero, 2005; Ruffo, Bullock, and Bollero, 2004; Stute and Posner, 1995; Waggoner, 1989).

## Discussion

Returning to the well-used metaphor, cover crops are the Swiss army knife of conservation practice—practical and obvious, possibly even somewhat boring and utilitarian—with multiple functions and benefits. Cover cropping’s benefits are very intuitive: growing plants on what would otherwise be bare soils during the harsh weather of winter and early spring protects the soil and consumes nitrates. Arguably unique among conservation practices, cover crops have the ability to improve physical, chemical, and biological properties of the soil, while potentially causing little-to-no interference with commercial crop production, although much depends on management and weather (see e.g., Adetunji et al., 2020; Fageria, Baligar, and Bailey, 2007; Miguez and Bollero, 2005).

### *(1) Cover Crops Reduce Soil Erosion*

Benefits begin with reducing soil erosion, mostly by reducing the erosive potential of precipitation. Studies from across the globe have found that the practice could reduce soil loss by as much as 75% when compared to fallowed fields; 65% of the studies reported decreases in runoff with cover crops, some finding reductions by as much as 90%. In addition to providing protective cover to the soil when it would otherwise be exposed, cover crops also increase biomass, residue, and surface roughness; those with branching or fibrous rooting systems are the most successful, increasing soil strength and reducing concentrated flow erosion. Cover crops also improve important soil physical properties that increase water holding capacity and water infiltration, soil organic matter, organic carbon concentration, and soil aggregate stability which mitigates the potential for erosion (Blanco-Canqui, 2018; Daryanto et al., 2018; Blanco-Canqui, 2015; Blanco-Canqui et al., 2013; Furlani-Júnior et al., 2013; Blanco-Canqui et al., 2011; Dabney, Delgado, and Reeves, 2007; Kaspar, Radke, and Laflen, 2001; Miller and Dick, 1995).

## (2) Cover Crops Reduce Nutrient Losses

Improving soil structures and microbial communities helps reduce soil erosion and those nutrients (like phosphorus) that are bound to the soil. Cover crops also mitigate releases of atmospheric nitrogen (N<sub>2</sub>O). The primary contribution to reducing nutrient losses is by consuming nitrates in the growing plants' roots and reducing leaching. Reductions in nitrate leaching varies across studies based on species of cover crop, soil texture, climate, and rainfall, among other characteristics that influence nitrate movement and cover crop growth. Ten studies of cover crops found efficient reductions in nitrate leaching that ranged from 11 percent to 94 percent and averaged 39 percent as compared to farming systems without cover crops (Hargrove et al., 2008; Kaspar et al., 2007; Strock, Porter, and Russelle, 2004; Rasse et al., 2000; Ritter, Scarborough, and Chirnside, 1998; Straver and Brinsfield, 1998; Brandi-Dorhn et al., 1997; Wyland et al., 1996; McCracken et al., 1994; Staver and Brinsfield, 1990; Jones, 1942; see also, Blanco-Canqui, 2018; Daryanto et al., 2018). Cover crop growth is essential in the overall effectiveness of the practice because growth dictates the amount of biomass produced; the more biomass, the higher probability of reducing nitrate pools in the soil. Factors such as planting and termination dates, adequate rainfall, and soil quality all play important roles. For example, the low end of nitrate loss reduction (11%) in the above studies was due to a lack of rainfall that caused inadequate cover crop establishment and growth (Strock, Porter, and Russelle, 2004). The type of cover crop matters; a legume cover crop fixes nitrogen, a non-legume consumes nitrogen from the residual pools in the soil (Blanco-Canqui, 2018). Increased applications of nitrogen fertilizer may also overwhelm the ability of a cover crop to reduce losses and the practice is more effective on soils with higher water holding capacity, but less effective on sandy soils in which water and nutrients move much faster (Brandi-Dorhn et al., 1997; Ritter, Scarborough, and Chirnside, 1998).

## (3) The Cover Crop Challenge: Cost and Risk Lead to Low Adoption


Researchers—and those farmers who have successfully adopted the practice—have arrived at a general consensus about the benefits of cover crops; adoption, however, remains low, especially in the Midwest tile-drained fields where it would advance nutrient loss reduction goals the most (see e.g., Illinois Environmental Protection Agency, [Illinois Nutrient Loss Reduction Strategy](#)). For example, the 2022 Census of Agriculture reported 18 million acres of cover crops (see, USDA-ERS, [April 16, 2024](#); *farmdoc daily*, [February 22, 2024](#)). This is less than 6% of the average of total acres planted to all field crops (316 million) in the last 10 years (USDA-NASS, Census of Agriculture, 2022; USDA-NASS, [Quickstats](#)). The challenges for cover crop adoption generally begin with the cost of the practice and the risk of adopting it.

A decade ago, researchers estimated that the cost of cover crops in the Midwest was between \$24 and \$47 per acre which, adjusted for inflation, would be closer \$33 to \$64 per acre today (Christianson, Tyndall, and Helmers, 2013). Estimates have been relatively consistent and fit within the middle of crop costs of production (e.g., chemicals for corn in 2022, \$63 per acre; seed costs for soybeans averaged \$71 per acre) (see e.g., *farmdoc daily*, [July 6, 2016](#); [June 28, 2018](#); [August 14, 2018](#); [May 1, 2020](#); [January 25, 2024](#); USDA-ERS, [Commodity Costs and Returns](#)). Federal farm policy provides some assistance for cover crop adoption: \$818 million from the Environmental Quality Incentives Program (EQIP), in total since 2014; \$66 by the Conservation Stewardship Program (CSP), since 2018; and \$34 million by the Regional Conservation Partnership Program (RCPP), since 2015. The additional funding from the Inflation Reduction Act has added \$25.3 million (EQIP) and \$4.3 million (CSP). To put those numbers in perspective, the total assistance for cover crops was equal to 4.5% of total EQIP, 1% of total CSP spending and 5% of RCPP; the practice has initially fared better under the IRA funds, at 11% of EQIP funds and almost 1.4% of CSP. Figure provides a map of federal assistance for cover crops using the NRCS data (USDA-NRCS, [RCA Data Viewer](#)).

## Figure 1. Cover Crop Investments by Conservation Programs

Totals: Environmental Quality Incentives Program (2014-2023); Conservation Stewardship Program (2017-2023); Regional Conservation Partnership Program (2015-2023).

< 0.80% 0.80%–1.67% 1.67%–3.08% 3.08%–4.95% ≥ 4.95%



Includes FY2023 funding from the Inflation Reduction Act

Map: Jonathan Coppess - Source: USDA NRCS - Created with Datawrapper

farmdocDAILY

Likely a larger concern, or more difficult barrier to adoption, are the risks the practice adds to the farming operation, beginning with the potential for reduced commercial crop yields; on this issue, the research is conflicting (*compare*, Deines et al., 2022; Qin et al., 2021; Abdalla et al., 2019; Daryanto et al., 2018; Snapp and Surapur, 2018; Coombs et al., 2017; Marcillo and Miguez, 2017; Finney, White, and Kaye, 2016; Gieske et al., 2016; Miguez and Bollero, 2005; Ruffo, Bullock, and Bollero, 2004). In summary, those studies of legume cover crops (which supply inorganic N by means of atmospheric nitrogen fixation) generally increased or did not reduce cash crop yields, while non-legumes most successful in nitrogen retention found some reduction in cash crop yields. Non-legume cover crops reduce nitrate loss by consuming nitrates and reducing the amount of nitrogen in the fields; those with high C:N ratios after termination lead to temporary N immobilization, or “tie-up” of nitrogen, rendering some amount of nitrogen not available to the plant at the start of the growing season. This is also a management issue as farmers can apply starter nitrogen around planting of the cash crop (see e.g., Preza-Fontes et al., 2022; Nevins, Lacey, and Armstrong, 2020).

The yield risk and concerns about nitrogen availability to the cash crop are matters that will be explored further and for which additional research continues to be needed. It is also an area that policy could be designed to address but thus far has not. Note initially that the risk of N being tied up is close to the risk of losing N when applying fall nitrogen. For example, cover crops reduce nitrate leaching by 39% (on average), while fields with nitrogen applied in the fall have been found to lose between approximately 10% and 35% of the nitrogen in relation to the amount applied (*farmdoc daily*, April 18, 2024). Importantly, the cover crop temporarily ties up the nitrogen and it can be released back into the field with decomposition, but nitrogen exported from fields is lost to the farming system while also causing vast societal costs (see e.g., Thapa et al., 2022; Nevins, Lacey, and Armstrong, 2020; Kim et al., 2020; Williams et al., 2018; Nevins, Nakatsu, and Armstrong, 2018; Jahanzad et al., 2016).

Another—and quite possibly the most significant—risk for farmers in adopting cover crops is that of the impacts on the spring planting window. In a short amount of time, farmers need to manage terminating the cover crop, planting the cash crop, and applying fertilizers and pesticides. Cover crops could also complicate planting (e.g., large amounts of biomass in the field) and fertilizer applications (e.g., tied-up nitrogen in the cover crop biomass). As one example, USDA-NASS reports weekly on crop progress and the “days suitable for fieldwork” and only 5.1 days were suitable for fieldwork in April in Illinois (USDA-NASS, [April 29, 2024](#); Ford, [April 2, 2024](#)). Here again, climate change is likely to complicate this further (see e.g., USDA-ERS, [Climate Change](#); Williams, [April 7, 2017](#)).

## Concluding Thoughts

As a tool for addressing soil erosion, cover crops are the Swiss army knife of conservation practices. A large body of research has consistently found cover crops to be effective in reducing soil erosion and nutrient losses, while providing numerous benefits to the soil and the field. Cover crops are not a panacea, however. Much of the practice’s effectiveness depends on those quintessential elements of farming: the weather and farm management, including costs of the practice and the risks to the cash crop. Currently, federal farm policy provides some assistance for the costs of cover crops, but it has not received the level of investment necessary for widespread adoption and adoption of the practice remains low. Farm policy also does little to address the risks of the practice, starting with concerns about nitrogen availability to the cash crop and the potential impacts on cash crop yields; more challenging are the risks to spring planting. The risks of the practice are matters that will be explored further and for which additional research continues to be needed. With Farm Bill reauthorization sprouting, these matters could become more pressing if policy is to be better designed to address them.

## References

- Abdalla, Mohamed, Astley Hastings, Kun Cheng, Qian Yue, Dave Chadwick, Mikk Espenberg, Jaak Truu, Robert M. Rees, and Pete Smith. "A critical review of the impacts of cover crops on nitrogen leaching, net greenhouse gas balance and crop productivity." *Global change biology* 25, no. 8 (2019): 2530-2543. <https://doi.org/10.1111/gcb.14644>.
- Adetunji, Adewole Tomiwa, Bongani Ncube, Reckson Mulidzi, and Francis Bayo Lewu. "Management impact and benefit of cover crops on soil quality: A review." *Soil and Tillage Research* 204 (2020): 104717. <https://doi.org/10.1016/j.still.2020.104717>.
- Auclair, Allan N. "Ecological factors in the development of intensive-management ecosystems in Midwestern United States." *Ecology* 57, no. 3 (1976): 431-444. <https://doi.org/10.2307/1936429>.
- Bailey, Anna, Lauren Meyer, Neilson Pettingell, Madeline Macie, and John Korstad. "Agricultural practices contributing to aquatic dead zones." *Ecological and practical applications for sustainable agriculture* (2020): 373-393. [https://link.springer.com/chapter/10.1007/978-981-15-3372-3\\_17](https://link.springer.com/chapter/10.1007/978-981-15-3372-3_17).
- Bergtold, Jason S., Steven Ramsey, Lucas Maddy, and Jeffery R. Williams. "A review of economic considerations for cover crops as a conservation practice." *Renewable Agriculture and Food Systems* 34, no. 1 (2019): 62-76. <https://doi.org/10.1017/S1742170517000278>.
- Blanco-Canqui, Humberto. "Cover crops and water quality." *Agronomy Journal* 110, no. 5 (2018): 1633-1647. <https://doi.org/10.2134/agronj2018.02.0077>.
- Blanco-Canqui, Humberto, John D. Holman, Alan J. Schlegel, John Tatarko, and Tim M. Shaver. "Replacing fallow with cover crops in a semiarid soil: Effects on soil properties." *Soil Science Society of America Journal* 77, no. 3 (2013): 1026-1034. <https://doi.org/10.2136/sssaj2013.01.0006>.
- Blanco-Canqui, Humberto, Maysoon M. Mikha, DeAnn R. Presley, and Mark M. Claassen. "Addition of cover crops enhances no-till potential for improving soil physical properties." *Soil Science Society of America Journal* 75, no. 4 (2011): 1471-1482. <https://doi.org/10.2136/sssaj2010.0430>.
- Blanco-Canqui, Humberto, Tim M. Shaver, John L. Lindquist, Charles A. Shapiro, Roger W. Elmore, Charles A. Francis, and Gary W. Hergert. "Cover crops and ecosystem services: Insights from studies in temperate soils." *Agronomy journal* 107, no. 6 (2015): 2449-2474. <https://doi.org/10.2134/agronj15.0086>.

Brandi-Dohrn, Florian M., Mario Hess, John S. Selker, Richard P. Dick, Susan M. Kauffman, and Delbert D. Hemphill Jr. *Nitrate leaching under a cereal rye cover crop*. Vol. 26, no. 1. American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America, 1997. <https://doi.org/10.2134/jeq1997.00472425002600010026x>.

Bretz, Frank, Paul Gallo, and Willi Maurer. "Adaptive designs: The Swiss Army knife among clinical trial designs?" *Clinical Trials* 14, no. 5 (2017): 417-424. <https://journals.sagepub.com/doi/full/10.1177/1740774517699406>.

Cain, Derrick. "Obama signs historic five-year farm bill into law." Agri-Pulse.com. February 9, 2014. <https://www.agri-pulse.com/articles/3613-obama-signs-historic-five-year-farm-bill-into-law>.

Carpenter, Stephen R., Nina F. Caraco, David L. Correll, Robert W. Howarth, Andrew N. Sharpley, and Val H. Smith. "Nonpoint pollution of surface waters with phosphorus and nitrogen." *Ecological applications* 8, no. 3 (1998): 559-568. [https://doi.org/10.1890/1051-0761\(1998\)008\[0559:NPOSWW\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1998)008[0559:NPOSWW]2.0.CO;2).

Cherr, C. M., J. M. S. Scholberg, and R. McSorley. "Green manure approaches to crop production: A synthesis." *Agronomy journal* 98, no. 2 (2006): 302-319. <https://doi.org/10.2134/agronj2005.0035>.

Christianson, Laura, John Tyndall, and Matthew Helmers. "Financial comparison of seven nitrate reduction strategies for Midwestern agricultural drainage." *Water Resources and Economics* 2 (2013): 30-56. <https://doi.org/10.1016/j.wre.2013.09.001>.

Coombs, Claire, John D. Lauzon, Bill Deen, and Laura L. Van Eerd. "Legume cover crop management on nitrogen dynamics and yield in grain corn systems." *Field crops research* 201 (2017): 75-85. <https://doi.org/10.1016/j.fcr.2016.11.001>.

Coppess, J., S. Ruppert and M. Skidmore. "A Menace Reconsidered, Part 4: Losing Nitrogen." *farmdoc daily* (14):74, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, April 18, 2024.

Creze, Cynthia M., and William R. Horwath. "Cover cropping: a malleable solution for sustainable agriculture? Meta-analysis of ecosystem service frameworks in perennial systems." *Agronomy* 11, no. 5 (2021): 862. <https://doi.org/10.3390/agronomy11050862>.

Dabney, Seth M., Jorge A. Delgado, and D. Wayne Reeves. "Using winter cover crops to improve soil and water quality." *Communications in Soil Science and Plant Analysis* 32, no. 7-8 (2001): 1221-1250. <https://doi.org/10.1081/CSS-100104110>.

Daryanto, Stefani, Bojie Fu, Lixin Wang, Pierre-André Jacinthe, and Wenwu Zhao. "Quantitative synthesis on the ecosystem services of cover crops." *Earth-Science Reviews* 185 (2018): 357-373. <https://doi.org/10.1016/j.earscirev.2018.06.013>.

Deines, Jillian M., Kaiyu Guan, Bruno Lopez, Qu Zhou, Cambria S. White, Sheng Wang, and David B. Lobell. "Recent cover crop adoption is associated with small maize and soybean yield losses in the United States." *Global change biology* 29, no. 3 (2023): 794-807. <https://doi.org/10.1111/gcb.16489>.

Diaz, Robert J., and Rutger Rosenberg. "Spreading dead zones and consequences for marine ecosystems." *science* 321, no. 5891 (2008): 926-929. <https://doi.org/10.1126/science.1156401>.

Drinkwater, Laurie E., and SSieglinde Snapp. "Nutrients in agroecosystems: rethinking the management paradigm." *Advances in agronomy* 92 (2007): 163-186. [https://doi.org/10.1016/S0065-2113\(04\)92003-2](https://doi.org/10.1016/S0065-2113(04)92003-2).

Fageria, Nand K., Virupax C. Baligar, and Beth A. Bailey. "Role of cover crops in improving soil and row crop productivity." *Communications in soil science and plant analysis* 36, no. 19-20 (2005): 2733-2757. <https://doi.org/10.1080/00103620500303939>.

Finney, Denise M., Charles M. White, and Jason P. Kaye. "Biomass production and carbon/nitrogen ratio influence ecosystem services from cover crop mixtures." *Agronomy journal* 108, no. 1 (2016): 39-52. <https://doi.org/10.2134/agronj15.0182>.

- Ford, Trent. "Warm and Dynamic March Opens Spring." Illinois State Climatologist. April 2, 2024. <https://stateclimatologist.web.illinois.edu/2024/04/02/warm-and-dynamic-march-opens-spring/>.
- Furlani Júnior, Enes, Danilo de Carvalho Neves, Marcio Lustosa Santos, and Samuel Ferrari. "The management of cover plant residues for cotton cropped in a no-tillage system." *Acta Scientiarum. Agronomy* 35 (2013): 371-376. <https://periodicos.uem.br/ojs/index.php/ActaSciAgron/article/view/15294>.
- Gakstatter, Jack H., A. F. Bartsch, and Clarence A. Callahan. "The impact of broadly applied effluent phosphorus standards on eutrophication control." *Water Resources Research* 14, no. 6 (1978): 1155-1158. <https://doi.org/10.1029/WR014i006p01155>.
- Gieske, Miriam F., Victoria J. Ackroyd, Dean G. Baas, Dale R. Mutch, Donald L. Wyse, and Beverly R. Durgan. "Brassica cover crop effects on nitrogen availability and oat and corn yield." *Agronomy journal* 108, no. 1 (2016): 151-161. <https://doi.org/10.2134/agronj2015.0119>.
- Groff, Steve. "The past, present, and future of the cover crop industry." *Journal of Soil and Water Conservation* 70, no. 6 (2015): 130A-133A. <https://www.jswconline.org/content/70/6/130A.short>.
- Güldner, Dino, Laura Larsen, and Geoff Cunfer. "Soil fertility transitions in the context of industrialization, 1750–2000." *Social Science History* 45, no. 4 (2021): 785-811. <https://www.cambridge.org/core/journals/social-science-history/article/abs/soil-fertility-transitions-in-the-context-of-industrialization-17502000/078452877FEA7E816F3F53536A79EB26>.
- Guttman, Jon. "How Did the Swiss Army Knife Become the Original Multitool?" HistoryNet.com. October 5, 2022. <https://www.historynet.com/swiss-army-knife-history/>.
- Hamilton, Abbe V., David A. Mortensen, and Melanie Kammerer Allen. "The state of the cover crop nation and how to set realistic future goals for the popular conservation practice." *Journal of Soil and Water Conservation* 72, no. 5 (2017): 111A-115A. <https://www.jswconline.org/content/72/5/111A>.
- Hargrove, W.L., R. L. Mikkelsen, J. R. Williams, and V. W. Benson. "Effects of cover crops on groundwater quality." *Cover crops for clean water* (1991): 57-68. <https://www.semanticscholar.org/paper/Effects-of-cover-crops-on-groundwater-quality-Hargrove-Mikkelsen/390ecbfad2a0b970e805c768f851129662ccd10c>.
- Hughes, M. and M. Langemeier. "Cover Crops and Farm Profitability in Central Indiana." *farmdoc daily* (10):81, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, May 1, 2020.
- Illinois Environmental Protection Agency. "Illinois Nutrient Loss Reduction Strategy." <https://epa.illinois.gov/topics/water-quality/watershed-management/excess-nutrients/nutrient-loss-reduction-strategy.html>.
- Jahanzad, E., A. V. Barker, M. Hashemi, T. Eaton, A. Sadeghpour, and S. A. Weis. "Nitrogen release dynamics and decomposition of buried and surface cover crop residues." *Agronomy Journal* 108, no. 4 (2016): 1735-1741. <https://doi.org/10.2134/agronj2016.01.0001>.
- Jones, Randall J. "Nitrogen losses from Alabama soils in lysimeters as influenced by various systems of green manure crop management." (1942): 574-85. <https://doi.org/10.2134/agronj1942.00021962003400060008x>.
- Justus, Timothy. "Blueprints, Swiss Army knives, and other metaphors: The Birth of the Mind: How a Tiny Number of Genes Creates the Complexities of Human Thought, by Gary Marcus, Basic Books (Perseus) 2004. \$26.00 (278 pp.) ISBN 0 465 04405 0." *Trends in Cognitive Sciences* 8, no. 5 (2004): 201-203. [https://www.cell.com/trends/cognitive-sciences/fulltext/S1364-6613\(04\)00082-8](https://www.cell.com/trends/cognitive-sciences/fulltext/S1364-6613(04)00082-8).
- Kaspar, T. C., D. B. Jaynes, T. B. Parkin, and T. B. Moorman. "Rye cover crop and gamagrass strip effects on NO<sub>3</sub> concentration and load in tile drainage." *Journal of environmental quality* 36, no. 5 (2007): 1503-1511. <https://doi.org/10.2134/jeq2006.0468>.

- Kaspar, T. C., J. K. Radke, and J. M. Lafren. "Small grain cover crops and wheel traffic effects on infiltration, runoff, and erosion." *Journal of Soil and Water Conservation* 56, no. 2 (2001): 160-164. <https://www.jswnonline.org/content/56/2/160.short>.
- Kell, Walter V. "Cover Crops for Soil Conservation." U.S. Dept. of Agric. Farmers' Bulletin No. 1758 (1936, revised 1942). <https://babel.hathitrust.org/cgi/pt?id=uiug.30112019287165&seq=2>.
- Kim, Nakian, María C. Zabaloy, Kaiyu Guan, and María B. Villamil. "Do cover crops benefit soil microbiome? A meta-analysis of current research." *Soil Biology and Biochemistry* 142 (2020): 107701. <https://doi.org/10.1016/j.soilbio.2019.107701>.
- Kladivko, Eileen J. "Cover crops: progress and outlook." *Soil and Water Conservation: A Celebration of 75* (2020): 293-302. [https://www.swcs.org/static/media/cms/75th\\_Book\\_\\_Chapter\\_27\\_B783BAE5B0F68.pdf](https://www.swcs.org/static/media/cms/75th_Book__Chapter_27_B783BAE5B0F68.pdf).
- Kladivko, Eileen J., Thomas C. Kaspar, Dan B. Jaynes, Robert W. Malone, John Singer, Xenia K. Morin, and Timothy Searchinger. "Cover crops in the upper midwestern United States: Potential adoption and reduction of nitrate leaching in the Mississippi River Basin." *Journal of Soil and Water Conservation* 69, no. 4 (2014): 279-291. <https://www.jswnonline.org/content/jswn/69/4/279.full.pdf>.
- Li, Fucui, Peter Sørensen, Xiaoxi Li, and Jørgen E. Olesen. "Carbon and nitrogen mineralization differ between incorporated shoots and roots of legume versus non-legume based cover crops." *Plant and Soil* 446 (2020): 243-257. <https://link.springer.com/article/10.1007/s11104-019-04358-6>.
- Marcillo, G. S., and F. E. Miguez. "Corn yield response to winter cover crops: An updated meta-analysis." *Journal of Soil and Water Conservation* 72, no. 3 (2017): 226-239. <https://www.jswnonline.org/content/72/3/226.short>.
- Mays, D. A., K. R. Sistani, and Ravi K. Malik. "Use of winter annual cover crops to reduce soil nitrate levels." *Journal of sustainable agriculture* 21, no. 4 (2003): 5-19. [https://doi.org/10.1300/J064v21n04\\_03](https://doi.org/10.1300/J064v21n04_03).
- McCracken, Daniel V., M. Scott Smith, John H. Grove, Charles T. MacKown, and Robert L. Blevins. "Nitrate leaching as influenced by cover cropping and nitrogen source." *Soil Science Society of America Journal* 58, no. 5 (1994): 1476-1483. <https://doi.org/10.2136/sssaj1994.03615995005800050029x>.
- McNeill, John R., and Verena Winiwarer. "Breaking the sod: Humankind, history, and soil." *Science* 304, no. 5677 (2004): 1627-1629. <https://doi.org/10.1126/science.1099893>.
- Miguez, Fernando E., and Germán A. Bollero. "Review of corn yield response under winter cover cropping systems using meta-analytic methods." *Crop Science* 45, no. 6 (2005): 2318-2329. <https://doi.org/10.2135/cropsci2005.0014>.
- Miller, Morten, and Richard P. Dick. "Dynamics of soil C and microbial biomass in whole soil and aggregates in two cropping systems." *Applied Soil Ecology* 2, no. 4 (1995): 253-261. [https://doi.org/10.1016/0929-1393\(95\)00060-6](https://doi.org/10.1016/0929-1393(95)00060-6).
- NBC News. "Obama: Farm Bill 'Is Like a Swiss Army Knife.'" February 7, 2014. <https://www.nbcnews.com/news/us-news/obama-farm-bill-swiss-army-knife-n24911>.
- Nevins, Clayton J., Cindy Nakatsu, and Shalamar Armstrong. "Characterization of microbial community response to cover crop residue decomposition." *Soil Biology and Biochemistry* 127 (2018): 39-49. <https://doi.org/10.1016/j.soilbio.2018.09.015>.
- Nevins, Clayton J., Corey Lacey, and Shalamar Armstrong. "The synchrony of cover crop decomposition, enzyme activity, and nitrogen availability in a corn agroecosystem in the Midwest United States." *Soil and Tillage Research* 197 (2020): 104518. <https://doi.org/10.1016/j.still.2019.104518>.
- Odell, Russell T., S. W. Melsted, and William M. Walker. "Changes in organic carbon and nitrogen of Morrow Plot soils under different treatments, 1904-1973." *Soil Science* 137, no. 3 (1984): 160-171. <https://journals.lww.com/soilsci/toc/1984/03000>.



Odland, T. E., and H. C. Knoblach. "The value of cover crops in continuous corn culture." (1938): 22-29. <https://access.onlinelibrary.wiley.com/doi/abs/10.2134/agronj1938.00021962003000010004x>.

Pantoja, Jose L., Krishna P. Woli, John E. Sawyer, and Daniel W. Barker. "Corn nitrogen fertilization requirement and corn–soybean productivity with a rye cover crop." *Soil Science Society of America Journal* 79, no. 5 (2015): 1482-1495. <https://doi.org/10.2136/sssaj2015.02.0084>.

Pantoja, Jose L., Krishna P. Woli, John E. Sawyer, and Daniel W. Barker. "Winter rye cover crop biomass production, degradation, and nitrogen recycling." *Agronomy Journal* 108, no. 2 (2016): 841-853. <https://doi.org/10.2134/agronj2015.0336>.

Pieters, A.J. and Roland McKee. "The Use of Cover and Green-Manure Crops." *Soils & Men: Yearbook of Agriculture, 1938* (Washington DC: U.S. Dept. of Agriculture, 1938), pp. 431-444 (special thanks to Dr. Otto Doering for the copy).

Plumhoff, Marta, R. Kent Connell, Alison Bressler, and Jennifer Blesh. "Management history and mixture evenness affect the ecosystem services from a crimson clover-rye cover crop." *Agriculture, Ecosystems & Environment* 339 (2022): 108155. <https://doi.org/10.1016/j.agee.2022.108155>.

Preza-Fontes, Giovanni, Houston Miller, James Camberato, Richard Roth, and Shalamar Armstrong. "Corn yield response to starter nitrogen rates following a cereal rye cover crop." *Crop, Forage & Turfgrass Management* 8, no. 2 (2022): e20187. <https://doi.org/10.1002/cft2.20187>.

Qin, Ziqi, Kaiyu Guan, Wang Zhou, Bin Peng, María B. Villamil, Zhenong Jin, Jinyun Tang et al. "Assessing the impacts of cover crops on maize and soybean yield in the US Midwestern agroecosystems." *Field Crops Research* 273 (2021): 108264. <https://doi.org/10.1016/j.fcr.2021.108264>.

Rabalais, Nancy N., R. Eugene Turner, and William J. Wiseman Jr. "Gulf of Mexico hypoxia, aka "The dead zone"." *Annual Review of ecology and Systematics* 33, no. 1 (2002): 235-263. <https://doi.org/10.1146/annurev.ecolsys.33.010802.150513>.

Rasse, Daniel P., Joe T. Ritchie, W. Richard Peterson, Jun Wei, and Alvin JM Smucker. *Rye cover crop and nitrogen fertilization effects on nitrate leaching in inbred maize fields*. Vol. 29, no. 1. American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America, 2000. <https://doi.org/10.2134/jeq2000.00472425002900010037x>.

Ritter, W. F., R. W. Scarborough, and A. E. M. Chirnside. "Winter cover crops as a best management practice for reducing nitrogen leaching." *Journal of Contaminant Hydrology* 34, no. 1-2 (1998): 1-15. [https://doi.org/10.1016/S0169-7722\(98\)00087-4](https://doi.org/10.1016/S0169-7722(98)00087-4).

Roth, Richard T., Michael D. Ruffatti, Patrick D. O'Rourke, and Shalamar D. Armstrong. "A cost analysis approach to valuing cover crop environmental and nitrogen cycling benefits: A central Illinois on farm case study." *Agricultural systems* 159 (2018): 69-77. <https://doi.org/10.1016/j.agsy.2017.10.007>.

Ruffo, Matias L., Donald G. Bullock, and German A. Bollero. "Soybean yield as affected by biomass and nitrogen uptake of cereal rye in winter cover crop rotations." *Agronomy Journal* 96, no. 3 (2004): 800-805. <https://doi.org/10.2134/agronj2004.0800>.

Ruppert, S., J. Coppess, W. Fathauer and M. Skidmore. "[A Menace to National Welfare Reconsidered, Part 1: Reviewing the Costs of Erosion.](#)" *farmdoc daily* (14):52, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 14, 2024.

Ruppert, S., J. Coppess and M. Skidmore. "[A Menace to National Welfare Reconsidered, Part 2: Reviewing Tillage.](#)" *farmdoc daily* (14):57, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 21, 2024.

Ruppert, S., J. Coppess and M. Skidmore. "[A National Menace Reconsidered, Part 3: Conservation Buffers.](#)" *farmdoc daily* (14):61, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 28, 2024.

Rusch, Hannah L., Jeffrey A. Coulter, Julie M. Grossman, Gregg A. Johnson, Paul M. Porter, and Axel Garcia y Garcia. "Towards sustainable maize production in the US upper Midwest with interseeded cover crops." *Plos one* 15, no. 4 (2020): e0231032. <https://doi.org/10.1371/journal.pone.0231032>.

Sawyer, John. "Nitrogen loss: How does it happen?" Iowa State University, Extension and Outreach. Integrated Crop Management. May 14, 2007. <https://crops.extension.iastate.edu/encyclopedia/nitrogen-loss-how-does-it-happen>.

Schnitkey, G., J. Coppess and N. Paulson. "Costs and Benefits of Cover Crops: An Example with Cereal Rye." *farmdoc daily* (6):126, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, July 6, 2016.

Schnitkey, G., K. Swanson, J. Coppess and S. Armstrong. "Managing the Economics of Planting Cereal Rye as a Cover Crop." *farmdoc daily* (8):151, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, August 14, 2018.

Schnitkey, G. and L. Gentry. "Robust Cover Crop Systems for Soybeans." *farmdoc daily* (14):17, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, January 25, 2024.

Scholberg, Johannes MS, Santiago Dogliotti, Carolina Leoni, Corey M. Cherr, Lincoln Zotarelli, and Walter AH Rossing. "Cover crops for sustainable agrosystems in the Americas." *Genetic engineering, biofertilisation, soil quality and organic farming* (2010): 23-58. [https://link.springer.com/chapter/10.1007/978-90-481-8741-6\\_2](https://link.springer.com/chapter/10.1007/978-90-481-8741-6_2).

Sievers, Taylor, and Rachel L. Cook. "Aboveground and root decomposition of cereal rye and hairy vetch cover crops." *Soil Science Society of America Journal* 82, no. 1 (2018): 147-155. <https://doi.org/10.2136/sssaj2017.05.0139>.

Smith, Ernie. "The Simple, Elegant History of the Swiss Army Knife." Atlas Obscura. October 5, 2015. <https://www.atlasobscura.com/articles/the-simple-elegant-history-of-the-swiss-army-knife>.

Snapp, Sieglinde, and Sowmya Surapur. "Rye cover crop retains nitrogen and doesn't reduce corn yields." *Soil and Tillage Research* 180 (2018): 107-115. <https://doi.org/10.1016/j.still.2018.02.018>.

Staver, K. W., and R. B. Brinsfield. "Patterns of soil nitrate availability in corn production systems: Implications for reducing groundwater contamination." *Journal of Soil and Water Conservation* 45, no. 2 (1990): 318-323. <https://www.semanticscholar.org/paper/Patterns-of-soil-nitrate-availability-in-corn-for-Staver-Brinsfield/31f67ad9060c60aeb6e8bd37479cd40c01a193c9>.

Staver, Kenneth W., and Russell B. Brinsfield. "Using cereal grain winter cover crops to reduce groundwater nitrate contamination in the mid-Atlantic coastal plain." *Journal of Soil and Water Conservation* 53, no. 3 (1998): 230-240. <https://www.jswnonline.org/content/53/3/230>.

Strock, Jeffrey S., Paul M. Porter, and M. P. Russelle. "Cover cropping to reduce nitrate loss through subsurface drainage in the northern US Corn Belt." *Journal of environmental quality* 33, no. 3 (2004): 1010-1016. <https://doi.org/10.2134/jeq2004.1010>.

Stute, James K., and Joshua L. Posner. "Synchrony between legume nitrogen release and corn demand in the upper Midwest." *Agronomy Journal* 87, no. 6 (1995): 1063-1069. <https://doi.org/10.2134/agronj1995.00021962008700060006x>.

Swanson, K., G. Schnitkey, J. Coppess and S. Armstrong. "Understanding Budget Implications of Cover Crops." *farmdoc daily* (8):119, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, June 28, 2018.

Thapa, Resham, Katherine L. Tully, Chris Reberg-Horton, Miguel Cabrera, Brian W. Davis, David Fleisher, Julia Gaskin et al. "Cover crop residue decomposition in no-till cropping systems: Insights from multi-state on-farm litter bag studies." *Agriculture, Ecosystems & Environment* 326 (2022): 107823. <https://doi.org/10.1016/j.agee.2021.107823>.

The White House. President Barack Obama. "Remarks by the President at Signing of the Farm Bill—MI." Archives.gov. February 7, 2024. <https://obamawhitehouse.archives.gov/the-press-office/2014/02/07/remarks-president-signing-farm-bill-mi>.

Thompson, Nathanael M., Shalamar D. Armstrong, Richard T. Roth, Michael D. Ruffatti, and Carson J. Reeling. "Short-run net returns to a cereal rye cover crop mix in a midwest corn–soybean rotation." *Agronomy Journal* 112, no. 2 (2020): 1068-1083. <https://doi.org/10.1002/agj2.20132>.

Tonitto, C., M. B. David, and L. E. Drinkwater. "Replacing bare fallows with cover crops in fertilizer-intensive cropping systems: A meta-analysis of crop yield and N dynamics." *Agriculture, Ecosystems & Environment* 112, no. 1 (2006): 58-72. <https://doi.org/10.1016/j.agee.2005.07.003>.

U.S. Dept. of Agric., Econ. Research Svc. "2022 Census of Agriculture: Cover crop use continues to be most common in eastern United States." April 16, 2024. <https://www.ers.usda.gov/data-products/chart-gallery/gallery/chart-detail/?chartId=108950>.

U.S. House of Representatives, Committee on Agriculture. "Thompson Releases 2024 Farm Bill Overview." Press Release. May 1, 2024. <https://agriculture.house.gov/news/documentsingle.aspx?DocumentID=7753>.

U.S. House of Representatives, Committee on Agriculture. "House Committee on Agriculture: The 2024 Farm Bill." [https://agriculture.house.gov/uploadedfiles/high\\_level\\_title\\_by\\_title\\_doc.pdf](https://agriculture.house.gov/uploadedfiles/high_level_title_by_title_doc.pdf).

U.S. Senate, Committee on Agriculture, Nutrition, and Forestry. "Chairwoman Stabenow Unveils the Rural Prosperity and Food Security Act." Newsroom, Majority News. May 1, 2024. <https://www.agriculture.senate.gov/newsroom/dem/press/release/chairwoman-stabenow-unveils-the-rural-prosperity-and-food-security-act>.

U.S. Senate, Committee on Agriculture, Nutrition, and Forestry. "The Rural Prosperity and Food Security Act: section-by-section summary." [https://www.agriculture.senate.gov/imo/media/doc/rural\\_prosperity\\_and\\_food\\_security\\_section-by-section.pdf](https://www.agriculture.senate.gov/imo/media/doc/rural_prosperity_and_food_security_section-by-section.pdf).

Waggoner, M. G. "Cover crop management and nitrogen rate in relation to growth and yield of no-till corn." *Agronomy Journal* 81, no. 3 (1989): 533-538. <https://doi.org/10.2134/agronj1989.00021962008100030028x>.

Weyers, Sharon L., Russ W. Gesch, Frank Forcella, Carrie A. Eberle, Matthew D. Thom, Heather L. Matthees, Matthew Ott, Gary W. Feyereisen, and Jeffrey S. Strock. *Surface runoff and nutrient dynamics in cover crop–soybean systems in the Upper Midwest*. Vol. 50, no. 1. 2021. <https://doi.org/10.1002/jeq2.20135>.

Williams, Alwyn, M. Scott Wells, David A. Dickey, Shuijin Hu, Jude Maul, Daniel T. Raskin, S. Chris Reberg-Horton, and Steven B. Mirsky. "Establishing the relationship of soil nitrogen immobilization to cereal rye residues in a mulched system." *Plant and Soil* 426 (2018): 95-107. <https://link.springer.com/article/10.1007/s11104-018-3566-0>.

Williams, Tyler. "Potential Impact on Crops from Changes in Spring Climate Trends." Cropwatch. University of Nebraska-Lincoln, Institute of Agriculture and Natural Resources. April 7, 2017. <https://cropwatch.unl.edu/2017/potential-impact-crops-changes-spring-climate-trends>.

Wyland, L. J., L. E. Jackson, W. E. Chaney, Karen Klonsky, S. T. Koike, and B. Kimple. "Winter cover crops in a vegetable cropping system: Impacts on nitrate leaching, soil water, crop yield, pests and management costs." *Agriculture, Ecosystems & Environment* 59, no. 1-2 (1996): 1-17. [https://doi.org/10.1016/0167-8809\(96\)01048-1](https://doi.org/10.1016/0167-8809(96)01048-1).

Zulauf, C., G. Schnitkey, N. Paulson and J. Coppess. "Cover Crops and Covered Cropland, 2022 US Census of Agriculture." *farmdoc daily* (14):37, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, February 22, 2024.